



**Benjamin Moore®**

## SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 08/05/2023

Revision Date: 08/05/2023

Revision Number: 1

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** SCUFF-X INTERIOR SEMI-GLOSS FINISH - BASE 3  
**Product Code** N4873X  
**Alternate Product Code** N4873X  
**Product Class** Water thinned paint  
**Colour** All  
**Recommended use** Paint

**Manufacturer**  
Benjamin Moore & Co.  
101 Paragon Drive  
Montvale, NJ 07645  
Phone: 1-866-708-9180  
www.benjaminmoore.com

**Only Representative (OR)**  
ITS Testing Services (UK) Ltd.  
Bainbridge House  
86-90 London Road  
Manchester  
United Kingdom  
M1 2PW  
e-mail: ies01.reach@intertek.com

**Supplier**  
Benjamin Moore UK Ltd.  
804 Oxford Avenue  
Slough SL1 4LN  
Ph: +44 (0) 1753 575756  
www.benjaminmoorepaint.co.uk

**Emergency Telephone** CHEMTREC: +1-703-741-5970  
CHEMTREC: (United Kingdom Local Number): +44-870-8200418  
CHEMTREC: (London Local Number) +(44)-203-8073798

### Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

<b>Skin sensitisation</b>	Category 1A - (H317)
<b>Chronic aquatic toxicity</b>	Category 3 - (H412)

#### 2.2. Label elements

##### Product Identifier

Contains 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1),  
1,2-Benzisothiazolin-3-one



**Signal word**  
Warning

**Hazard statements**

H317 - May cause an allergic skin reaction  
H412 - Harmful to aquatic life with long lasting effects

EUH208 - Contains Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester, Carbamic acid, butyl-, 3-iodo-2-propynyl ester, 2-Methyl-4-isothiazolin-3-one, Pentanedial May produce an allergic reaction  
EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist

**Precautionary Statements - EU (§28, 1272/2008)**

P101 - If medical advice is needed, have product container or label at hand  
P102 - Keep out of reach of children  
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray  
P280 - Wear protective gloves  
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap  
P501 - Dispose of contents/ container to an approved waste disposal plant

**2.3. Other hazards**

**Other hazards** Harmful to aquatic life

**General Hazards** No information available

**SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

**3.1 Substances**

Not applicable

**3.2 Mixtures**

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	UK REACH Registration Number (DUIN)
Kaolin	310-194-1	1332-58-7	>=5 - <10	Not available		
Titanium dioxide	236-675-5 257-372-4	13463-67-7	>=1 - <5	Not available	01-2119489379-17-0168	UK-01-733619750 6-0-0011
Silica amorphous	231-545-4	7631-86-9	>=1 - <5	Not available	01-2119379499-16-0281	UK-01-250993046 1-7-0005
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.05 - <0.1	Acute Tox 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)		

Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester	234-232-0	10605-21-7	>=0.01 - < 0.05	Skin Sens. 1 (H317) Muta. 1B (H340) Repr. 1B (H360FD) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		
Carbamic acid, butyl-, 3-iodo-2-propynyl ester	259-627-5	55406-53-6	>=0.01 - < 0.05	Acute Tox. 4 (H302) Acute Tox. 3 (H331) Eye Dam. 1 (H318) Skin Sens. 1 (H317) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		
Pentanedial	203-856-5	111-30-8	>=0.01 - < 0.05	Acute Tox. 3 (H301) Acute Tox. 2 (H330) Skin Corr. 1B (H314) Resp. Sens. 1 (H334) Skin Sens. 1A (H317) STOT SE 3 (H335) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) (EUH071)		
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)	247-500-7 220-239-6	55965-84-9	>=0.001 - <0.005	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 3 (H330) Skin Corr. 1C (H314) Eye Dam 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	>=0.001 - <0.005	Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic chronic 1		

				(H410)		
--	--	--	--	--------	--	--

**Section 4: FIRST AID MEASURES**

**4.1. Description of first aid measures**

Description of first aid measures

<b>General Advice</b>	No hazards which require special first aid measures.
<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Inhalation</b>	Move to fresh air. If symptoms persist, call a physician.
<b>Ingestion</b>	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

**4.2. Most important symptoms and effects, both acute and delayed**

<b>Most Important Symptoms/Effects</b>	May cause allergic skin reaction.
--	-----------------------------------

**4.3. Indication of any immediate medical attention and special treatment needed**

<b>Notes To Physician</b>	Treat symptomatically.
---------------------------	------------------------

**Section 5: FIREFIGHTING MEASURES**

**5.1. Extinguishing media**

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable Extinguishing Media</b>	No information available.

**5.2. Special hazards arising from the substance or mixture**

<b>Specific Hazards Arising From The Chemical</b>	Closed containers may rupture if exposed to fire or extreme heat.
<b>Sensitivity to static discharge</b>	No
<b>Sensitivity to mechanical impact</b>	No

**5.3. Advice for firefighters**

<b>Protective equipment and precautions for firefighters</b>	Wear self-contained breathing apparatus and protective suit.
--	--

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal Precautions</b>	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
<b>Other Information</b>	Observe all relevant local and international regulations.

### 6.2. Environmental precautions

<b>Environmental precautions</b>	Prevent spreading of vapours through sewers, ventilation systems and confined areas.
----------------------------------	--

### 6.3. Methods and material for containment and cleaning up

<b>Methods for Containment</b>	Absorb with inert material and place in suitable container for disposal.
<b>Methods for Cleaning Up</b>	Clean contaminated surface thoroughly.

### 6.4. Reference to other sections

<b>Other information</b>	See Section 12 for additional information.
--------------------------	--

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

<b>Handling</b>	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Hygiene Measures</b>	Wash thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage</b>	Keep container tightly closed. Keep out of the reach of children.
----------------	---

### 7.3. Specific end use(s)

<b>Specific Uses</b>	Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.
<b>Risk Management Methods (RMM)</b>	Not Applicable.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Chemical name	European Union	Belgium	Bulgaria	Cyprus	France	Ireland
Kaolin 1332-58-7	-	TWA: 2 mg/m <sup>3</sup>	TWA: 3.0 mg/m <sup>3</sup> TWA: 6.0 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Titanium dioxide	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>

13463-67-7			TWA: 1.0 mg/m <sup>3</sup>			TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>	
Silica amorphous 7631-86-9	TWA: 0.1 mg/m <sup>3</sup>	-	TWA: 0.1 mg/m <sup>3</sup> TWA: 1.0 mg/m <sup>3</sup>	-	-	TWA: 6 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup> STEL: 18 mg/m <sup>3</sup> STEL: 7.2 mg/m <sup>3</sup>	
<b>Chemical name</b>	<b>Germany TRGS</b>	<b>Greece</b>	<b>Hungary</b>	<b>Iceland</b>	<b>Italy MDLPS</b>	<b>Latvia</b>	
Kaolin 1332-58-7	-	-	-	2.0 mg/m <sup>3</sup> TWA	-	-	
Titanium dioxide 13463-67-7	-	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	-	6 mg/m <sup>3</sup> TWA	-	TWA: 10 mg/m <sup>3</sup>	
Silica amorphous 7631-86-9	TWA: 4 mg/m <sup>3</sup>	-	-	-	-	TWA: 1 mg/m <sup>3</sup>	
<b>Chemical name</b>	<b>Lithuania</b>	<b>Netherlands</b>	<b>Poland</b>	<b>Romania</b>	<b>Spain</b>	<b>Sweden</b>	<b>United Kingdom</b>
Kaolin 1332-58-7	-	-	TWA: 10.0 mg/m <sup>3</sup>	-	TWA: 2 mg/m <sup>3</sup>	-	TWA: 2 mg/m <sup>3</sup> STEL: 6 mg/m <sup>3</sup>
Titanium dioxide 13463-67-7	TWA: 5 mg/m <sup>3</sup>	-	STEL: 30 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TLV: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup> STEL: 12 mg/m <sup>3</sup>
Silica amorphous 7631-86-9	-	TWA: 0.075 mg/m <sup>3</sup>	-	-	-	-	TWA: 6 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup> TWA: 1.2 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> STEL: 18 mg/m <sup>3</sup> STEL: 7.2 mg/m <sup>3</sup> STEL: 3.6 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup>

## 8.2. Exposure controls

### Occupational exposure controls

#### Engineering Measures

Ensure adequate ventilation, especially in confined areas.

#### Personal Protective Equipment

#### Respiratory Protection

In case of insufficient ventilation wear suitable respiratory equipment.

#### Eye Protection

Safety glasses with side-shields.

#### Skin Protection

Lightweight protective clothing.

#### Hand protection

Impervious gloves.

#### Hygiene Measures

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### Appearance

liquid

#### Odour

little or no odor

#### Odour Threshold

No information available

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
Density (g/L)	1078 - 1126	None known	
Relative Density	1.07 - 1.13	None known	
pH	No information available	None known	
Viscosity (cps)	No information available	None known	
Solubility(ies)	No information available	None known	
Water solubility	No information available	None known	
Evaporation Rate	No information available	None known	
Vapour pressure @20 °C (kPa)	No information available	None known	
Relative vapour density	No information available	None known	
Wt. % Solids	30 - 40	None known	
Vol. % Solids	25 - 35	None known	
Wt. % Volatiles	60 - 70	None known	
Vol. % Volatiles	65 - 75	None known	
Boiling Point (°C)	100	None known	
Freezing Point (°C)	0	None known	
Melting Point (°C)	No information available	None known	
Pour Point	No information available	None known	
Flash Point (°C)	Not applicable	None known	
Flammability (solid, gas)	No information available	None known	
Upper flammability limit:	No information available	None known	
Lower flammability limit	No information available	None known	
Autoignition Temperature (°C)	No information available	None known	
Decomposition Temperature (°C)	No information available	None known	
Partition coefficient	No information available	None known	
Explosive properties	No information available	None known	
Oxidising Properties	No information available	None known	

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity Not Applicable.

### 10.2. Chemical stability

Chemical Stability Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

### 10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

### 10.5. Incompatible materials

Incompatible Materials No materials to be especially mentioned.

### 10.6. Hazardous decomposition products

Hazardous Decomposition Products None under normal conditions of use.

## Section 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Product Information

<b>Inhalation</b>	There is no data available for this product.
<b>Eye contact</b>	There is no data available for this product.
<b>Skin contact</b>	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
<b>Ingestion</b>	There is no data available for this product.

#### Acute Toxicity

#### Component Information

Caution - This mixture contains a substance not yet fully tested

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin 1332-58-7	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rat )	
Titanium dioxide 13463-67-7	> 10000 mg/kg ( Rat )		
Silica amorphous 7631-86-9	= 7900 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	
Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester 10605-21-7	> 5050 mg/kg ( Rat )	> 10000 mg/kg ( Rabbit )	
Carbamic acid, butyl-, 3-iodo-2-propynyl ester 55406-53-6	= 1470 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	= 0.67 mg/L ( Rat ) 4 h = 0.63 mg/L ( Rat ) 4 h = 0.99 mg/L ( Rat ) 4 h
Pentanedial 111-30-8	= 252 mg/kg ( Rat )	= 1800 mg/kg ( Rabbit ) = 560 µL/kg ( Rabbit )	= 40.1 ppm ( Rat ) 4 h = 23.5 ppm ( Rat ) 4 h
5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	= 53 mg/kg ( Rat ) = 481 mg/kg ( Rat ) 232 - 249 mg/kg ( Rat ) = 120 mg/kg ( Rat )	= 87.12 mg/kg ( Rabbit ) = 200 mg/kg ( Rabbit )	= 1.23 mg/L ( Rat ) 4 h = 0.11 mg/L ( Rat ) 4 h
2-Methyl-4-isothiazolin-3-one 2682-20-4		= 200 mg/kg ( Rabbit )	

<b>Skin corrosion/irritation</b>	No information available.
<b>Eye damage/irritation</b>	No information available.
<b>Sensitisation</b>	May cause an allergic skin reaction.
<b>Mutagenic Effects</b>	No information available.

#### Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.



Chemical name	European Union	IARC
Titanium dioxide 13463-67-7		2B - Possible Human Carcinogen

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

**Legend**

IARC - International Agency for Research on Cancer

<b>Reproductive Effects</b>	No information available.
<b>Developmental Effects</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Neurological Effects</b>	No information available.
<b>Target organ effects</b>	No information available.
<b>Symptoms</b>	No information available.
<b>Aspiration Hazard</b>	No information available.

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Silica amorphous 7631-86-9	EC50: =440mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =5000mg/L (96h, Brachydanio rerio)	EC50: =7600mg/L (48h, Ceriodaphnia dubia)
Carbamic acid, butyl-, 3-iodo-2-propynyl ester 55406-53-6		LC50: 0.049 - 0.079mg/L (96h, Oncorhynchus mykiss) LC50: 0.05 - 0.089mg/L (96h, Oncorhynchus mykiss) LC50: 0.14 - 0.32mg/L (96h, Lepomis macrochirus) LC50: 0.18 - 0.23mg/L (96h, Pimephales promelas)	
Pentanedial 111-30-8	EC50: =0.61mg/L (72h, Desmodesmus subspicatus) EC50: =0.84mg/L (96h, Desmodesmus subspicatus)	LC50: 2.6 - 4.8mg/L (96h, Oncorhynchus mykiss) LC50: 7.8 - 13mg/L (96h, Oncorhynchus mykiss) LC50: 7.8 - 22mg/L (96h, Lepomis macrochirus) LC50: =5.4mg/L (96h, Pimephales promelas)	EC50: 0.56 - 1.0mg/L (48h, Daphnia magna) EC50: =14mg/L (48h, Daphnia magna)
5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	EC50: 0.11 - 0.16mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.03 - 0.13mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =1.6mg/L (96h, Oncorhynchus mykiss)	EC50: =4.71mg/L (48h, Daphnia magna) EC50: 0.12 - 0.3mg/L (48h, Daphnia magna) EC50: 0.71 - 0.99mg/L (48h, Daphnia magna)

### 12.2. Persistence and degradability

**Persistence / Degradability** No information available.

**12.3. Bioaccumulative potential**

**Bioaccumulation** No information available.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one 2634-33-5	1.3
Pentanedial 111-30-8	0.22
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	0.75

**12.4. Mobility in soil**

**Mobility in soil** No information available.

**Mobility in Environmental Media** No information available.

**12.5. Results of PBT and vPvB assessment**

**PBT and vPvB assessment** No information available.

Chemical name	PBT and vPvB assessment
Titanium dioxide 13463-67-7	The substance is not PBT / vPvB PBT assessment does not apply
Silica amorphous 7631-86-9	The substance is not PBT / vPvB PBT assessment does not apply
1,2-Benzisothiazolin-3-one 2634-33-5	The substance is not PBT / vPvB
Carbamic acid, butyl-, 3-iodo-2-propynyl ester 55406-53-6	The substance is not PBT / vPvB PBT assessment does not apply
Pentanedial 111-30-8	The substance is not PBT / vPvB
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	The substance is not PBT / vPvB
2-Methyl-4-isothiazolin-3-one 2682-20-4	The substance is not PBT / vPvB

**12.6. Other adverse effects**

**Other adverse effects** No information available

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester	Group II Chemical		

**Section 13: DISPOSAL CONSIDERATIONS**

**13.1. Waste treatment methods**

<b>Waste from Residues/Unused Products</b>	Dispose of in accordance with the European Directives on waste and hazardous waste.
<b>Contaminated Packaging</b>	Empty containers should be taken for local recycling, recovery or waste disposal.
<b>EWC waste disposal No</b>	No information available
<b>Other Information</b>	Waste codes should be assigned by the user based on the application for which the product was used.

## Section 14: TRANSPORT INFORMATION

<b>IMDG</b>	Not regulated
<b>RID</b>	Not regulated
<b>ADR</b>	Not regulated
<b>ADN</b>	Not regulated
<b>IATA</b>	Not regulated

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Silica amorphous 7631-86-9	RG 25
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65
Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester 10605-21-7	RG 5, RG 14, RG 15, RG 15bis, RG 20bis, RG 2, RG 9, RG 14, RG 20, RG 34, RG 65
Pentanedial 111-30-8	RG 65, RG 66

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### International Inventories

<b>AIIC</b>	No - Not all of the components are listed.
<b>DSL: Canada</b>	No - Not all of the components are listed.
<b>EINECS: European Union Inventory of Existing Substances</b>	One or more component is listed on NDSL.
<b>ENCs</b>	No - Not all of the components are listed.
<b>IECSC</b>	No - Not all of the components are listed.

**KECL**  
**PICCS**  
**TSCA: United States**

No - Not all of the components are listed.  
No - Not all of the components are listed.  
Yes - All components are listed or exempt.

**Legend**

**AICS** - Australian Inventory of Chemical Substances  
**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**IECSC** - China Inventory of Existing Chemical Substances  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**15.2. Chemical safety assessment**

**Chemical Safety Report**

No information available

**Section 16: OTHER INFORMATION**

**Full text of H-Statements referred to under section 3**

EUH071 - Corrosive to the respiratory tract  
H301 - Toxic if swallowed  
H302 - Harmful if swallowed  
H310 - Fatal in contact with skin  
H311 - Toxic in contact with skin  
H314 - Causes severe skin burns and eye damage  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H330 - Fatal if inhaled  
H331 - Toxic if inhaled  
H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled  
H335 - May cause respiratory irritation  
H340 - May cause genetic defects  
H360FD - May damage fertility. May damage the unborn child  
H372 - Causes damage to organs through prolonged or repeated exposure  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects  
H411 - Toxic to aquatic life with long lasting effects

**Classification procedure:**

Expert judgment and weight of evidence determination

**Key literature references and sources for data**

Data from internal and external sources

**Prepared By**

Product Stewardship Department  
Benjamin Moore & Co.  
101 Paragon Drive  
Montvale, NJ 07645  
800-225-5554

**Issuing Date**

08/05/2023

**Revision Date:**

08/05/2023

Revision Summary

Initial Release

**Disclaimer**

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**